





Threaded Rod
Model: FIS - TR

Version 1.01
July 2025 release

Threaded Rod

Model: FIS-TR



Product Details

- Standard length is 1000-3000mm
- Other length can be customized
- Standard DIN975/972

Dimensions													
FIS No	FIS-TR2	FIS-TR25	FIS-TR3	FIS-TR35	FIS-TR4	FIS-TR5	FIS-TR6	FIS-TR8	FIS-TR10	FIS-TR12	FIS-TR14	FIS-TR16	FIS-TR18
d	M2	M2.5	M3	M3.5	M4	M5	M6	M8	M10	M12	M14	M16	M18
P	0.40	0.45	0.50	0.60	0.70	0.80	1.00	1.25	1.50	1.75	2.00	2.00	2.50
	-	-	-	-	-	-	-	1.00	1.25	1.25	1.50	1.50	1.50
	-	-	-	-	-	-	-	-	1.00	1.50	-	-	-
L±10	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000

Dimensions												
FIS No	FIS-TR20	FIS-TR22	FIS-TR24	FIS-TR27	FIS-TR30	FIS-TR33	FIS-TR36	FIS-TR39	FIS-TR42	FIS-TR45	FIS-TR48	FIS-TR52
d	M20	M22	M24	M27	M30	M33	M36	M39	M42	M45	M48	M52
P	2.50	2.50	3.00	3.00	3.50	3.50	4.00	4.00	4.50	4.50	5.00	5.00
	1.50	1.50	2.00	2.00	2.00	2.00	3.00	3.00	3.00	3.00	3.00	3.00
	-	-	-	-	-	-	-	-	-	-	-	-
L±10	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000	1000



Gate 2, Aljada Logistics Area,
Behind Arada Project Management
Office, Near Airport Road,
Muweilah, 22436, Sharjah

rhinotek.ae

